Waterloo Wellington High-Grade Colposcopy Central Referral Program (KW)

Presented to Referrers, by:

- Dr. Neil Naik, Clinical Lead SCOPE Program, Regional Primary Care Lead
- Kimberly Marshall, SCOPE Nurse Navigator Lead, St. Mary's General Hospital
- Alysson Korver, Change Management Specialist, eHealth Centre of Excellence



Today's session will include a review of...

- 1. Cervical cancer prevention
- Patient marketing
- 3. Central referral resource for you to reduce your admin burden
 - The NEW referral process for high-grade cytology
 - SCOPE and it's nurse navigation to support you
 - Ocean eReferral and how it benefits your office/clinic
- 4. Discussion, Q&A

As a reminder, this session will be recorded

Cervical Cancer Prevention and Screening

Cervical Cancer

- Cervical cancer is caused by certain types of HPV infection
- It is almost entirely preventable
- Regular screening can reduce deaths by more than 70%
- Immunization is now available to prevent the virus



HPV Vaccine Programs

- Available at no charge to all grade 7 students in Ontario through a publicly funded school-based program
- Approved for females and males, either through publicly funded systems (Age dependent) or most private insurances




OCSP Screen-detected Cervical Cancers in WW


Cervical Cancers and Pre-cancers by Month and Type, 2022

Cancer Diagnosis Year	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sept	Oct	Nov	Dec
Pre-cancer	16	13	10	13	15	21	8	13	6	12		
Cancer	5	4	6	4	2	5	3	5	2	5		
Total	21	17	16	17	17	26	11	18	8	17		





Pap Test Volumes in Waterloo Wellington




Regional Cancer Program

High-Grade Pap Tests with no Follow-up in Waterloo Wellington

	Jul-22	Aug-22	Sep-22	Oct-22	Nov-22	Dec-22	Jan-23	Feb-23	Mar-23	Apr-23	May-23	Jun-23	Total ³
Individuals who had a high-grade Pap test result	24	39	34	47	48	34	35	53	36	37	43	24	454
Had colposcopy	21	35	31	32	37	27	28	35	17	17	14	5	299
Had colposcopy & treatment	13	19	24	20	20	10	15	14	5	4	3	0	147
Had no follow-up colposcopy (N)	3	4	3	15	11	7	7	18	19	20	29	19	155
Had no follow-up colposcopy (%)	13%	10%	9%	32%	23%	21%	20%	34%	53%	54%	67%	79%	34%

Individuals Awaiting Colposcopy



Note: The most recent 2 months of data may be incomplete due to the data lag.

² Individuals with high-grade Pap test results from Jul 1, 2022.

³ Total: cumulative number of people who are awaiting colposcopy from Jul 1, 2022.

Patient Marketing in Waterloo Wellington

Multi-OHT + Regional Cancer Program Patient Push for Screening

- All OHTs in the province are now responsible for helping to increase the screening rates, in particular for identified priority neighbourhoods.
- The 3 OHTs in the WW region are at different stages of rolling this out.
 - Cambridge & North Dumfries OHT
 - 2. Guelph & Wellington OHT
 - 3. KW4 OHT (Kitchener, Waterloo, Wellesley, Wilmot, Woolwich)
- The Regional Cancer Program is pushing physical media to regional hot spots, and supporting the OHTs in their efforts.

Colposcopy Central Referral Resource to reduce your administrative burden!

New Program!

- We listened!
- We changed!
- We're launching!

Central Referral

- For the past 2 years we have been organizing our region for central referral for high-grade results
- For patients who require prompt attention
- Our challenge as referrers (primary care providers, some Gynecologist offices, walk-in clinics, and Midwives) is knowing who to send it to based on wait times, of which we have no visibility

We have one now!



Waterloo Wellington High-Grade Colposcopy Central Referral Program

Launch date:

- Phase 1 for referrers in KW only launching September 20, 2023
- Phase 2 for all of Waterloo Wellington region TBD

Central Referral for High-Grade Cytology

- Goal is to get the high risk patients into the program quickly, efficiently, and to the person with a short wait time
- You can still choose which colposcopist you want to send it to, specifically
- Or a general referral!



Referral Criteria

- High-grade cytology results only
 - ASC-H (atypical squamous cells, cannot rule out HSIL)
 - HSIL (high-grade squamous intraepithelial lesion)
 - AGC (atypical glandular cells)
 - AIS (adenocarcinoma in situ)
 - Malignancy



 All ASCUS and LSIL results will be required to be sent to individual colposcopists, as you've done previously

Let's review guidelines!

https://www.cancercareontario.ca/en/system/files_force/derivative/OCSPScreeningGuidelines.pdf



Overview

Current cytology-based recommendations

for eligible participants with a cervix who have ever been sexually active

Initiation

Age ≥ 25 is the preferred age of initiation. See below for guidance on change from starting at age ≥ 21*

Screening interval

Every **3 years with cytology** if screening test is negative


Cessation

Age 70 if person has had 3 negative cytology results in routine screening in the previous 10 years


*Guidance during the change to human papillomavirus (HPV) testing

Ontario Health (Cancer Care Ontario) is working with the Ministry of Heath to implement HPV testing in cervical screening in Ontario. Until then, please continue to use cytology-based screening. Recommendations from the Canadian Task Force on Preventive Health Care and recent evidence support a higher age of initiation for cervical screening (with cytology or HPV testing). Primary care providers are now encouraged to initiate cytology-based screening at age 25 for those who are or have ever been sexually active, with one exception: people who are immunocompromised and are or have ever been sexually active can continue to start screening at age 21. Please note, primary care cancer screening tools and resources are not yet aligned with this guidance and will be updated with HPV implementation^a.

Results!




Actions!



More Actions!

Central Intake!



Referral Form from Ontario Health

Please Note

This referral pathway is for high-grade cytology results only

The following colposcopy results should be referred to an individual gynecologist's office via Ocean or fax:

- A <u>low-grade cytology result</u> (ASCUS or LSIL) followed by another <u>low-grade cytology result</u> (ASCUS or LSIL) at the 12-month repeat cytology test
- A <u>low-grade cytology result</u> (ASCUS or LSIL) followed by a <u>normal cytology result</u> (NILM) at the 12-month repeat cytology test, and then followed by a low-grade cytology result (ASCUS or LSIL) at the second 12-month repeat cytology test
- A <u>low-grade cytology result</u> (ASCUS or LSIL) and <u>HPV-positive</u> (type 16/18)
- A low-grade cytology result (ASCUS or LSIL) at repeat cytology test and HPV-positive (regardless of subtype)
- . Two positive ASCUS or LSIL results

SCOPE and it's nurse navigation to support you




- Goal: to help with reducing the patient use of urgent care spots, while also helping with clear communication, and outpatient clinic flow
- Takes urgent cases away from ER, and same day issues and help navigate their cases from an outpatient standpoint
- Nurse Navigator: Kimberley Marshall
- www.scopehub.ca





New Regional **Pathway** Map



NN: Nurse Navigator

Ocean Process

Fax Process

Automated Ocean Process

Two Referral Options!

(for KW only at this time)

Online using Ocean eReferral

In Ocean, search for:
 Waterloo Wellington High-Grade
 Colposcopy Central Referral Program

Fax referral (if not on Ocean yet)

• **Referral form** available here:

Waterloo Wellington High-Grade Colposcopy Central Referral Program (KW only) | Waterloo Wellington Regional Cancer Program (grhosp.on.ca)

Referral form

- For faxing only!
- Available at:

Waterloo Wellington High-Grade Colposcopy Central Referral Program (KW only) | Waterloo Wellington Regional Cancer Program (grhosp.on.ca)

Waterloo Wellington Regional Cancer Program Ontario Health (Cancer Care Ontario)

Waterloo Wellington Regional Cancer Program Ontario Health (Cancer Care Ontario)

St. Mary's KW4 SCOPE Program GRH/SMGH Fax: 226-215-3335

Scope Nurse Navigator Contact Information:

Phone: 226-972-5025 Email: scope@smgh.ca

WATERLOO WELLINGTON HIGH-GRADE COLPOSCOPY CENTRAL REFERRAL PROGRAM (KW only)

This referral pathway is for high-grade cytology results ONLY Please refer all other colposcopy results (see guidelines below) to an individual colposcopist's office. Please complete ALL of the following information and send it to SCOPE Nurse Navigator. We will contact your office with the appointment after completing all required information. If you have not received notification of an appointment in 14 days, please contact us to confirm receipt.

Patient Demographics:	Referring Physician:
Name: Click or tap here to enter text.	Name: Click or tap here to enter text.
DOB: Click or tap here to enter text.	Address: Click or tap here to enter text.
HCN #: Click or tap here to enter text.	Phone: Click or tap here to enter text.
Address: Click or tap here to enter text.	Fax: Click or tap here to enter text.
Phone: Click or tap here to enter text.	CPSO #: Click or tap here to enter text.
Email: Click or tap here to enter text.	Billing #: Click or tap here to enter text.
Referral Information (Select one):	Cervical screening results accepted by this program:
Referral information (Select one).	
□ Refer to the next available colposcopist (shortest	□ ASC-H
wait time)	□ HSIL
☐ Refer to the specific colposcopist (longer wait time)	□ AGC
	□ AIS
Select Physician Choose an item.	□ Malignancy
Required Results/Documents:	
Please provide most recent:	
□ Pap smear(s)	
□ Biopsy/swab/other lab results	
Notes/Comments:	
Click or tap here to enter text.	

Refer all other abnormal cervical screening test results to colposcopy. Please refer to an individual colposcopist's office. You do not need a referral form.

- A low-grade cytology result (ASCUS or LSIL) followed by another low-grade cytology result (ASCUS or LSIL) at the 12 month repeat cytology
- A low-grade cytology result (ASCUS or LSIL) followed by a normal cytology result (NILM) at the 12 month repeat cytology test, and then followed by a low-grade cytology result (ASCUS or LSIL) at the second 12 month repeat cytology test

Screening with HPV testing¹, if available:

- A low grade-grade cytology result (ASCUS or LSIL) and HPV-positive (type 16/18)²
- A low grade cytology result (ASCUS or LSIL) at repeat cytology test and HPV-positive (regardless of subtype)

For more information, please visit Waterloo Wellington High-Grade Colposcopy Central Referral Program (KW only) | Waterloo Wellington Regional Cancer Program (grhosp.on.ca)

1 HPV testing is not currently funded by the Ministry of Health. Cytology remains the current recommended cervical screening test in Ontario. 2 People who are HPV-positive (other) should repeat their cytology in 12 months; people who are HPV-negative should return to routine screening with


AGC: atypical glandular cells; AIS: adenocarcinoma in-situ; ASC-H; atypical squamous cells, cannot exclude high-grade; ASCUS: abnormal atypical squamous cells of undetermined significance; HPV: human papillomavirus; HSIL: high-grade squamous intraepithelial lesion; LSIL: low-grade squamous intraepithelial lesion

September 2023

Ocean eReferral

Options!

Which colposcopist?



Conditions to click off


Reason for Referral	
Concern(s) / Indication(s) *	
Select all that apply:	
ASC-H (atypical squamous cells, cannot rule out HSIL)	
☐ HSIL (high-grade squamous intraepithelial lesion)	
AGC (atypical glandular cells)	
AIS (adenocarcinoma in situ)	
Malignancy	

Automation! OCEAN made easy

Mandatory information

Cumulative Patient Profile		
☐ CPP Attached Separately		
☐ Do not send CPP		
Current Medications:		
	/	
Current Problems:		
Past Medical History:		
	/	
Allergies:		
Required Results / Documents		
Please provide the most recent: *		
Pap Smear(s)		
Biopsy / Swab / Other Lab Results		
G 514p-1, 7 51145 7 5 1145 1155 1155		

From your EMR!



Ocean Benefits

- Send referrals quickly and securely directly from your EMR
- Reduced administrative tasks for you and your staff
 - Secure messaging with specialist's office
 - Referral status always available
- Decreased patient phone calls
 - They know when you referred them
 - They know where to go, when to go, and who they are seeing
- No cost
 - The eHealth Centre of Excellence provides onboarding, training, and ongoing support at no cost

Why work harder when you don't need to?

How to join OCEAN

Interested in Ocean eReferral?

Alysson would be happy to connect with you for a demo of Ocean and to answer any questions that you may have!



Alysson Korver, Change Management Specialist
eHealth Centre of Excellence
alysson.korver@ehealthce.ca
519-301-4892



Where to find information about the new central referral program

Online Resource

Visit the Waterloo Wellington Regional Cancer Program's website here:

Waterloo Wellington High-Grade Colposcopy Central Referral Program (KW only) | Waterloo Wellington Regional Cancer Program (grhosp.on.ca)

(referral form for fax only is also available here if you're not currently using Ocean eReferral)



Search Cancer Learning Centre Q Health Care Providers Refer a Patient Clinical Info & Guideline Career Opportunities

WW High-Grade Colposcopy Central

Referral Program

NEW! Introducing the Waterloo Wellington High-Grade Colposcopy Central Referral Program (KW only)

People with a cervix, ages 21-69, with a high-grade cervical cytology test who did not undergo colposcopy within six months of their high-grade abnormal screen date has increased over time in Waterloo Wellington region.

Waterloo Wellington Regional Cancer Program has partnered with Grand River Hospital, St. Mary's General Hospital SCOPE program, and eHealth Centre of Excellence to create a solution! A central referral program is being developed to expedite information transfer and shorten the wait time for high-grade cytology to Colposcopists in our region.

Phase one includes launching the pilot with Colonsconists in KW who perform colonscons procedures at Grand River Hospital. This launch will take place on September 20, 2022. Phase two will expand this program across Waterloo Wellington region at a later time (to be determined).

How to Refer

The new referral process for high-grade cytology allows referrers (primary care providers, gynaecologists who do do not perform coloposcopy procedures, midwives and walk-in/urgent care clinics) to quickly refer using the Ocean eReferral platform.

Thank you for joining us!

Questions? Please contact our team!

General questions Dr. Neil Naik, neil.naik@gmail.com or

WWRegionalCancerProgram@grhosp.on.ca

SCOPE (referral navigation) Kimberley Marshall, kmarshal@smgh.ca

Ocean eReferral Alysson Korver, <u>Alysson.Korver@ehealthce.ca</u>