Hip Replacement Guidebook



TABLE OF CONTENTS

About Grand River Hospital	2
Appointments to Attend	3
Bundled Care Program	
Privacy: Your Contact Person	4
Physiotherapy after Surgery	4
Discharge Planning: Going Home	5
Pre-Op: Medication Information	6
Getting the Most Out of Surgery	7
Day of Surgery	8
Recommended Equipment List	9-11
Local Equipment Vendors	.12-13
Home Requirements	14
Hip Precautions	15
Moving Safely After Surgery	
Exercises and Diary	.20-21
Managing Pain and Risks	.22-23
My Pain Diary	24
Pain Medications Diary	25
Frequently Asked Questions	
Appendix A: Physio Clinics	28
Appendix B: Seamless MD	29-30
Appendix C: Helpful Videos	31
The information in a guide o	loes

not replace medical advice from your doctor. Please see your doctor if you have any questions about your health, physical or mental condition.




A New HIP A New BEGINNING

- ✓ Bring this **booklet with you** to all appointments
- Attend ALL scheduled appointments; missing an appointment may result in cancellation of your surgery. See Appointment List on page 3.
- ✓ Bring your care partner to your pre-op appointment.

Why do you need a hip replacement?

A hip replacement is used to:

- Lessen your pain;
- Improve the function of your hip;




Make your hip more stable.

What is a hip replacement?

Your hip joint is like a "ball and socket". During a hip replacement, a new ball is put on top of the long thigh bone (called the femur), and a new socket is put into the pelvis bone.

These new parts fit together and move smoothly to allow easy movement. Your skin and muscles are cut during the operation to access your joint and then stitched back together.



Kitchener-Waterloo Campus 835 King St. W, Kitchener, ON • Ph: 519-749-4300 • info@grhosp.on.ca


About Grand River Hospital

Location

Grand River Hospital, 835 King St. West Kitchener Ontario

Important Phone Numbers

Main Switchboard Phone Number	(519) 742 – 3611
Pre-Op Occupational Therapist	(226) 753 – 4564
Pre-Surgical Clinic	(519) 749 – 4300 ext. 2123
Day Surgery	(519) 749 – 4300 ext. 2262
Fracture Clinic	



Feedback

At Grand River Hospital, we are committed to providing exceptional care for our patients, you may be asked to complete a short patient survey about the care you have received at our Hospital.

Please share feedback about your care to our Patient Relations Department. Phone: 519-749-4300 ex. 2966 or through email: <u>feedback@grhosp.on.ca</u>

Vaccination:

Covid-19 Information

- You will be asked to provide proof of vaccination prior to your scheduled surgery
- If you are not vaccinated, you may be required to have a COVID-19 test prior to surgery- a member of your care team will provide further information regarding testing for you

Visitor Information:

- Any visitors/Care Partners are required to provide proof of COVID-19 vaccination prior to entering the Hospital
- If your care partner is not vaccinated- please speak to a member of your care team about alternative options for your visitor.

Appointments List: Step by Step

The following is the sequence of appointments that you are **required to attend** leading up to your joint replacement surgery. If possible, please have one care partner with you for all appointments.

1. Pre-Op Hip & Knee Clinic Phone Call

A 30 minute phone call with an occupational therapist to prepare you for recovery and life with a new knee.

You will be contacted by the clinician using phone number you provided.

2. Pre-Surgical Clinic Appointment

Meetings with the pre-op nurse, anesthesia, pharmacy and internal medicine

3. Surgery Date

Go to 'Patient Registration on the 2nd floor. After registration, go to 'Day Surgery" Day Surgery Contact: (519) 749-4300 ext. 2262

Date of Surgery: Time: Arrive at Hospital (Time):

4. Fracture Clinic Appointment #1 (2 WEEKS POST-OP)

Go to 'Patient Registration' on the 2nd floor. After registration, go to the 'Fracture Clinic' Fracture Clinic Contact: (519) 749-4300 ext. 2637

Date of Appointment: Time:

5. Fracture Clinic Appointment #2 (6 WEEKS POST-OP)

Go to 'Patient Registration' on the 2nd floor. After registration, go to the 'Fracture Clinic' **Fracture Clinic Contact: (519) 749-4300 ext. 2637**

Date of Appointment: Time:



Bundled Care Program

The Bundled Care Program at Grand River Hospital helps patients having their hip replacement move smoothly through pre-operative appointments and pre-surgical preparations, will provide you with information and guidance on moving from the hospital to your home.

Before surgery, you will receive a phone call from a Physiotherapist or Occupational Therapist. They will make recommendations to assist you in planning for your hospital stay and for your return home with services you need in place.

The Physiotherapist or Occupational Therapist will communicate with the Bundled Care Coordinator that each patient receiving an elective hip joint replacement is aware of their commitment to preparing family/friend supports, transportation, equipment rental/purchase and outpatient physiotherapy booking **prior to having your hip surgery.**

The Bundled Care Coordinator will work with all the members of your healthcare team throughout your care journey. The Coordinator will continue to work with you after you leave the hospital to support you as you complete your outpatient rehabilitation.

At any time, you can reach the Bundled Care Coordinator at 519-749-4300 ext. 2214.

Privacy: Choosing a Contact Person

It is important that you **<u>choose one responsible family member or friend</u>** to be your contact person. You will be given a privacy card when you arrive with a four-digit privacy code.

Staff will not give out any information about you over the phone, unless the caller can provide this number. When you arrive, we will tell you more about how we protect your privacy. If you would like more information about this, please let us know.

Physiotherapy: Book before Surgery

Have your outpatient/community (not in hospital) physiotherapy appointment booked at a Bundled Care physiotherapy clinic of choice. You will be attending physiotherapy there <u>5-7 days after your surgery</u>. The list of physiotherapy clinics who participate within the Bundled Care Program is located in **Appendix A** of this booklet.

You may also choose an alternative physiotherapy treatment provider that is not part of the bundled care program, *however, this will be done at your own expense or paid for through your personal insurance provider.* In home therapy is only provided under very rare and specific circumstances through Home and Community Care Support Services (formally the LHIN).

During these outpatient treatment sessions, your walking will be assessed by a physiotherapist and they will recommend when you can begin using a different gait aid (i.e. crutches, cane etc.) based on how you are moving. They will also review your exercises and determine when you are able to do more/different exercises than you did during your hospital stay.

Δ

Pre-Op: Medication Information

Medication Changes for Surgery

We will advise you at the Pre-Surgical Clinic (Step 2) what medications you can take on the day of surgery.

You can take the following medications on the morning of your surgery:

*To be filled out at your pre-op clinic visit by your care team

You MUST STOP taking the following medications before your surgery:

*To be filled out at your pre-op clinic visit by your care team

Discharge Medications: Meds to Beds Program

You can have your prescriptions delivered to your bedside before leaving the hospital. Our retail pharmacy will then send a list of your medications to your family doctor and your regular pharmacy so they have an updated record of your medications. If medication counselling is needed, the pharmacist on unit will provide this to you.

We will bill your drug plan directly. For charges not covered by drug plans, we accept cash, VISA, MasterCard or debit payments.

Please be aware, some of the medications you will be taking after your surgery are not available at all community pharmacies. We highly recommend you utilize our hospital retail pharmacy to ensure that you get the prescriptions you need after surgery

Grand River Hospital Retail Pharmacy

Health Care Centre Pharmacy: (519) 749-4227Email: hccp@grhosp.on.caHours of Operation: Monday to Friday 8:30 – 6:00 p.m.Saturday 9:00 – 5:00 p.m.



Pre-Op: Getting the Most Out of Surgery Discharge: Planning Ahead

- As an elective surgical procedure, patients are discharged once they achieve their assigned goals following their joint replacement surgery
- If you do not feel you have adequate supports to return home, you must arrange for alternative supports prior to your surgery (i.e. temporary respite retirement home living at your cost).
- Discharge from the hospital can occur at any time of the day and you are responsible for arranging your own transportation home.
- If you meet the criteria for same day discharge, your discharge time will be late afternoon to early evening.

Discharge Goals

- $\hfill\square$ Up to the washroom for all bathroom trips
- □ Up to a chair for all meals
- $\hfill\square$ Pain and nausea are under control with the medication prescribed
- □ Up for a short walk with Physiotherapist with use of walking aid
- □ Reviewed bed exercises
- □ Reviewed deep breathing and coughing
- □ Reviewed how to safely bathe, dress and toilet while following hip precautions
- Discussed the importance of a high fiber diet and need for stool softener/ laxative at home
- □ Friend or family member present during discharge review (in person preferred, this is dependent on covid-19 hospital restrictions)
- □ Fracture clinic follow up appointment date and time set
- Have prescription for pain medication and blood thinners (we recommend filling your prescription at GRH Retail Pharmacy prior to discharge)
- □ Reviewed how to climb stairs and complete transfers
- □ Have all recommended equipment ready at home

The Supports You Must Arrange:

- □ Plans for safe travel home and to my appointments.
- □ Arrangements for my pets, bill payments, and mail for the time I will be in hospital.
- □ Arrangements to have some help for when I go home
 - Examples: with grocery shopping, meal preparation/frozen meals, cleaning, laundry etc..
- A back-up plan just in case I can't manage at home
 Example: family or a friend will stay with me or you stay with, retirement home
- □ Make a list of people I can call when I get home in case of emergency.
- Rent or make other arrangements for the recommended equipment
 Example: walker, commode, etc. as recommended during Pre-Op Phone Call in Step 1
- □ Schedule your Physiotherapy follow up appointment and arrange for transportation.

Smoking, Alcohol and Marijuana Use

- If you smoke, try to quit now! Smoking slows healing and makes it harder for your body to recover.
- If you do smoke, we offer you nicotine replacement therapy while you're in the hospital, free of charge.
- Please note there is no smoking allowed on hospital property.
- Early after surgery, it is difficult to access designated smoking areas outside.
- Please provide a truthful description of your alcohol and marijuana intake when asked at the presurgical clinic; this information helps us provide safer care to you
- Try to decrease your use of alcohol before your surgery.

Healthy Lifestyle

- A healthy weight will speed up your recovery and places less stress on your joints.
- Eating healthy foods that are high in protein, calcium, fiber and iron helps you heal.
- Follow Canada's new and improved Food Guide: <u>www.healthcanada.gc.ca/foodguide</u>

Showering/Bathing Before Surgery

- Do not remove hair from the area of your body where the surgery will take place for one week before your surgery. Removing hair can damage skin which can increase your risk of infection.
- We recommend that you use an **antibacterial sponge the evening before and the morning** of your surgery. The sponges are available for a small fee in the Grand River Hospital Retail Pharmacy. Instructions are included.

Valuables Before Surgery

- All jewelry, piercings, nail polish, make-up and false nails (including any body ornaments, religious or cultural items, barbells, captive bead rings, tongue rings etc.) must be removed before you arrive for surgery. If this is not done, your surgery could be cancelled.
- If you can't remove your jewelry yourself you must go to a jeweler and have it removed before surgery.
- Wearing jewelry during surgery can:
 - Result in burns from surgical equipment;
 - Loss of circulation (fingers and toes);
 - A risk of swallowing or suffocation;
 - Loss of jewelry or precious stones; and/or
 - Infections and contamination.
- Please have someone take your Health Card home after you have registered.
- Label all of your belongings with your name including denture cups and hearing aid containers.
- The hospital does not accept responsibility for patient belongings.

Immediately after Surgery

- If you are a same day candidate, after your surgery you will spend approximately 1-2 hours in Recovery Unit, then be transferred to the 6th floor or Day Surgery. Here you will be discharged when appropriate.
- If you are not a same day candidate, after your surgery you will spend approximately 1-2 hours in Recovery Unit, then be transferred to the appropriate inpatient unit. Here you will be discharged when appropriate.



Day of Surgery

Eating and Drinking before Surgery

Eating the night before your surgery:

Eat a healthy snack at bedtime, but **do not eat anything after midnight** and **eat nothing on the day of your surgery.** Doing so will result in surgery being cancelled and rescheduled.

Drinking on the day of your surgery:

Drink a total of 500 mL or 2 cups of apple or cranberry juice at:

- 5 am if your surgery is before 12 noon
- 8 am if your surgery is at 12 noon or later

What to Bring On Day of Surgery:

Pack a small overnight bag for yourself following your surgery including:

- This booklet
- 1 housecoat
- ✓ 1 pair of comfortable shoes that have good grip No flip flops!
- ✓ 1 set of comfortable loose fitting clothes, socks and underwear to go home in.
- ✓ Toiletries: brush, comb, toothbrush etc.
- Medications from home if you were advised to take them during your pre-op visit.
- CPAP machine if you use one at home.
- Cell phone and charger (patient's preference)

Patients who are planning on returning home on <u>the same day as their surgery</u> are still encouraged to pack a small overnight bag in the event that they stay overnight in hospital

What NOT to bring with you:

- X Large sums of money, jewelry.
- **X** Perfume, cologne, aftershave, or any other scented products.

Wound Care: 7 Day Dressing

Most surgeons recommend the use of a 7 day dressing after surgery. Your pre-op clinic nurse will discuss this and how to apply/remove the dressing for when you go home. This can be purchased at the Grand River Hospital Retail Pharmacy.

Applying a 7 day dressing:

- 1. The dressing is intended to be left on for 7 days unless it is 80% saturated.
- 2. You should be checking your incision daily after discharge from the hospital.
- 3. Peel a corner and assess the incision for drainage, colour, smell, etc.

Tip: Due to the location of the incision and dressing, it may be difficult to assess without a family member or friend. If you do not have someone who can assist you, it may be easier to see the incision while standing in front of a tall mirror.




Recovering at Home: Home Equipment


Please try to have your home equipment ready and set-up in your home prior to your surgery. You will need your own walking aid (Example: walker and/or cane) **at discharge** so that you can transfer from a wheelchair into your car when leaving the hospital and walk from your car into your home.

Your Therapy team will review what equipment to purchase, but typically people will require:

- 1. Gait aid (Example: walker and/or crutches),
- 2. Stair aid (Example: cane or crutch), and
- 3. Toilet aid (Example: raised toilet seat/versa frame or commode)

*Items such as bedrails, dressing aids (e.g. Reacher), bath chairs or benches are typically optional items.





Registration #: Date:



Recovering at Home: Bariatric Equipment

Some patients require specialized medical equipment based on their weight. Your therapy team will recommend the most appropriate size of equipment for you. Examples of bariatric equipment:



Bariatric commode



Bariatric Rollator



Bariatric Sock Aide



Peri-area/Bottom/Bum Reacher



Home & Medical Equipment Vendors

Most equipment you need can be rented or purchased at these locations, based on preference

Store Name, Address, #	Services	Hours of Operation
Grand River Hospital		•
Health Care Pharmacy 835 King St. W., Kitchener (519) 749-4227	Sells – crutches, canes, assistive devices (reacher, sock aid, long handle shoe horn & sponges, etc)	Mon – Fri: 8:30 am - 6:00 pm Sat: 9 am - 5 pm
Kitchener		
Medigas 450 Belmont Ave. W. (519) 893-3250	Rents/Sells – canes, crutches, walkers, raised toilet seats & versa frames, commodes, bath bench, wheelchairs, assistive devices, etc	Mon – Fri: 8 am – 5 pm On call 24hrs a day for emergencies Delivery Available: for a fee
Aftercare Home Health 69 Sydney St. South (519) 570-9333 (On call # 519-998-0408)	Loans/Sells – canes, crutches, walkers, raised toilet seats & versa frames, commodes, bath bench, wheelchairs, assistive devices, etc	Mon - Wed:10 am - 5:30 pm Thurs - Fri: 10 am - 8 pm Sat: 11 am - 4 pm (On Call: Sun & Holidays)
Motion Specialties 1362 Victoria St. N. (519) 885-3160	Rents/Sells – canes, crutches, walkers, raised toilet seats & versa frames, commodes, bath bench, wheelchairs, assistive devices, etc	Mon - Fri: 8:30 am - 5 pm
National Home Health 148 Weber St. East (519) 578-3188	Rents/Sells – canes, crutches, walkers, raised toilet seats & versa frames, commodes, bath bench, wheelchairs, assistive devices, etc	Mon – Fri: 9 am – 5 pm
Shoppers Home Health Care 379 Gage St. (519) 579-6200	Rents/Sells – canes, crutches, walkers, raised toilet seats & versa frames, wheel chair, bath bench, etc	Mon – Fri: 8:30 am – 6 pm Sat: 9 am - 5:00 pm Sun: 12 noon - 5 pm
Silver Cross 569 Lancaster St. W/N (519)513-2429	Rents/Sells – canes, crutches, walkers, raised toilet seats & versa frames, commodes, bath bench, wheelchairs, assistive devices, etc	Mon - Friday: 9 am - 5 pm Ramps, ceiling lifts, stair lifts. ADP approved, trades, buy back, recycle
Waterloo		
Wilder Medical Home Care Centre 85 Northland Rd. (519) 888-0618	Rents/Sells – canes, crutches, walkers, raised toilet seats & versa frames, commodes, bath bench, wheelchairs, assistive devices, etc	Mon – Fri: 9 am - 5 pm
Westmount Place Pharmacy Home Health Care 50 Westmount Rd. N. (519) 886-7670	Rents/Sells – canes, crutches, walkers, raised toilet seats & versa frames, commodes, bath bench, wheelchairs, assistive devices, etc	Mon – Fri: 9 am – 9 pm Sat: 9 am – 6 pm Sun/Holidays: 11 am - 5 pm
Elmira		
Woolwich Community Services 5 Memorial Ave. (519) 669-5139	Loans - crutches, walkers, canes, wheelchairs	Mon - Fri: 9 am - 5 pm
Cambridge		
Ontario Home Health 1515 King St. East (519) 624-7587	Rents/Sells – canes, crutches, walkers, raised toilet seats & versa frames, commodes, bath bench, wheelchairs, assistive devices, etc	Mon - Fri: 9 am - 5:30 pm



Mobility In Motion	Rents/Sells – canes, crutches, walkers,	Mon - Fri: 9 am - 5 pm
1710 Bishop St.	raised toilet seats & versa frames,	
(519) 623-9930	commodes, bath bench, wheelchairs,	
	assistive devices, etc	
Red Cross Home Healthcare	Rents- canes, crutches, walkers, raised	Mon - Fri: 8:30 am – 4:30 pm
17 Cambridge St.	toilet seats & versa frames, commodes,	
519-621-1840	bath bench, wheelchairs	
Preston Medical Pharmacy	Rents/Sells – canes, crutches, walkers,	Mon – Fri: 9 am – 6 pm
125 Waterloo St.	raised toilet seats & versa frames,	Sat: 9 am - 2 pm
(519) 653-1994	commodes, bath bench, wheelchairs,	24hr After Hours/Holidays: emergency
Champere Hame Health Care	assistive devices, etc	call & delivery available
Shoppers Home Health Care	Rents/Sells – canes, crutches, walkers,	Mon - Fri: 9 am - 6 pm
1 Hespler Rd.	raised toilet seats & versa frames,	Sat: 9am - 5 pm
(519) 624-6020	commodes, bath bench, wheelchairs, assistive devices, etc	Sun: 12noon - 5 pm
Guelph		
Mobility In Motion	Rents/Sells – canes, crutches, walkers,	Mon - Fri: 9 am - 5 pm
51 Woodlawn Rd. West	raised toilet seats & versa frames,	Sat: 10 am - 3 pm
(519) 824-7789	commodes, bath bench, wheelchairs,	Sat. 10 ani - 5 pin
(313) 824-1183	assistive devices, etc	
Medigas	Rents– canes, crutches, walkers, raised	Mon - Fri: 8 am - 5 pm
485 Silvercreek Pkwy N.	toilet seats & versa frames, commodes,	
(519)780-2521 / 1-866-446-6302	bath bench, wheelchairs, assistive	
()	devices, etc	
Red Cross Home Healthcare	Rents- canes, crutches, walkers, raised	Mon - Fri: 8:30 am – 4:30 pm
257 Woodlawn Rd. W.	toilet seats & versa frames, commodes,	
(519)836-3523	bath bench, wheelchairs	
Norfolk Surgical Supplies	Rents/Sells – crutches, walkers,	Mon - Fri: 9 am - 6 pm
85 Norfolk St.	wheelchairs, commodes, bath bench,	Sat: 9 am - 2 pm
(519) 837-1820	assistive devices, etc (if available)	
Ontario Home Health	Rents- canes, crutches, walkers, raised	Mon - Fri: 9 am - 5:30 pm
66 Delhi St.	toilet seats & versa frames, commodes,	Sat: 9 am - 12 noon
(519) 821-9519	bath bench, wheelchairs, assistive	
	devices, etc	
New Hamburg		
Pharmasave	Rents- canes, crutches, walkers, raised	Mon – Wed: 9 am – 6 pm
100 Mill St. Unit K	toilet seats & versa frames, commodes,	Thurs – Fri: 9 am – 8 pm
(519) 662-9995	bath bench, wheelchairs, assistive	Sat: 9 am – 5 pm
	devices, etc	
Stratford		
Ontario Home Health	Rents/Sells – canes, crutches, walkers,	Mon - Fri: 9 am - 5:30 pm
180 Ontario St.	raised toilet seats & versa frames,	Sat: 9 am - 12 noon
(519) 273-5770	commodes, bath bench, wheelchairs,	
Action Health Care Inc	assistive devices, etc	Man Frit Com Farm
Action Health Care Inc.	Rents/Sells – canes, crutches, walkers,	Mon - Fri: 9 am - 5 pm
684 Ontario St.	raised toilet seats & versa frames,	Sat: 9:30 am - 1 pm
(519) 271-6700	commodes, bath bench, wheelchairs,	
	assistive devices, etc	

***Subject to change by the vendor without notice

*** Please note this is not an exhaustive list. There may be other vendors in your community that are not included this list and you have the freedom to decide where to obtain your equipment.

Recovering At Home: Supports and Tips

Preparing your home

Prior to your surgery date, please take time to prepare your home for recovery. These arrangements must be made prior to your surgery.

- Move frequently used items to hip and shoulder level.
- Clear hallways of clutter and ensure a path is wide enough for a walker to fit through (30 inches)
 Remove small rugs, bath mats, cords etc.
- Put a non-skid rubber mat and/or bath tub bench in the tub or shower
- If you live in a multi-level home with many stairs, you may consider a temporary main floor set up to minimize the number of stairs you need to climb immediately following your return home.

Personal Support

- You will need to arrange for a family member or friend to drive you to the hospital on the day of your surgery and home when you are discharged.
- You will also need to arrange for help with chores and/or running errands for the first few weeks that you're recovering at home.
- You won't be able to drive for a while (typically 6 weeks) after the operation so ask a family member or friend to drive you to any follow-up appointments, including your physiotherapy sessions.
- There are times when patients who are living alone prior to their surgeries may want to seek respite options in a retirement home setting for several weeks post-op while they recover. In this setting, meals, medications and nursing care are supported so that patients can focus on recovering. Please see your pre-surgical clinic nurse if you require this information.

Daily Activities

- You will be able to use a walker by the time you leave the hospital, but you'll still need some help to change bed linens, do laundry, shop, take out the garbage and prepare meals.
- You may need a Long-handled Reacher to help you pick up items without bending.
- You will be advised of the proper height of your sleeping and sitting surfaces prior to your surgery.
- If your bed is too low, you may need to raise it by having someone place it on sturdy blocks. While you recover, you should only sit in **armchairs** arms help you sit down and stand up safely.
- Make sure you have one chair with a strong seat (not too low), a firm back, and sturdy arms. Avoid chairs that recline, rock, roll or glide.

Transportation

- Transportation to and from appointments before and after surgery are the patients' responsibility.
- For those that do not have access to support for their transportation needs, Grand River Transit does offer specialized transportation services for those who qualify. For more information, please visit the GRT website at https://www.grt.ca/en/rider-information/using-specialized-services.aspx.
 - Please note that it may take time to register for mobility plus services, typically 2 weeks prior to using the service.

Meals and Housework

- Before your surgery, stock up on toiletries, basic and frozen foods and/or freeze meals
- Ask family or friends to help by shopping and cooking for you while you recover.

Please see **Appendix B (SEAMLESS MD) or Appendix C** for further explanation of some of the information in this document, such as how to get out of a car, get dressed, or walk up and down stairs after your hip surgery

Hip Precautions: Recommendations Following Your Hip Surgery

Please remember to follow your hip precautions during daily activities for at least **6 WEEKS** while your hip is healing, unless otherwise instructed by your surgeon:

DOs



 Sit on chairs and surfaces that keep your hip <u>higher</u> than your knee.



DON'Ts

X DO NOT pivot or twist to either side while standing or sitting.

X DO NOT bend way over. Instead, use equipment (reachers, sock aids, etc.) to help you with dressing.



15



X DO NOT cross your legs at the knees or ankles when you are sitting or lying down


Learn More

Please see **Appendix B and C**. Appendix B includes information about Grand River Hospital's Seamless MD, our online patient education and communication portal. Appendix C includes additional videos that also show you how to move and other resources to consider.

Moving Safely After Surgery

Lying in Bed...

- Lie on your back with a pillow wedge or two pillows between your knees.
- X Try to keep your knees and toes pointing up. You can lie on your side (non-operative side) but place 1-2 pillows between your knees so that you don't accidentally cross your legs when you fall asleep.
- X Don't cross the leg with the hip replacement over the middle of your body.
- X Do not lie on your operative side





Getting in and out of bed...

- 1. Move to the edge of the bed, keeping your knees apart.
- 2. You may use a heel loop to assist your operated leg to the edge of the bed.
- 3. Push up with your elbows and hands.
- 4. Slide your legs over the edge of the bed to sit up.
- 5. Move to the edge of the bed.
- 6. Bend your good leg under you to get ready to hold your weight.
- 7. Slide the foot of your operated leg forward.
- 8. Push yourself up with your hands on the bed to stand up.
- 9. Once you have your balance, use your walking aid.

Standing up from a chair...

- 1. Move forward, to the edge of the chair.
- 2. Bend your good leg under you to get ready to hold your body weight.
- 3. Slide the foot of your operated leg forward.
- 4. Push yourself up with your hands on the armrests to stand up.
- 5. Once you have your balance, use your walking aid.







Sitting down on a chair...

Be sure to choose **high**, **firm chairs with arms**. Ask your therapist about using your recliner chair or a footstool. Anything you sit on should be firm yet comfortable and at **a height so that your knees are never higher than your hips**.

- Back up to the edge of the chair (You should feel it against the back of your legs)
- 2. Feel the edge of the chair with your hands.
- 3. Slide your operated leg forward.
- 4. Hold the armrests and slowly/gently lower yourself into sitting.

Walking...

- 1. Move the walker first.
- 2. Then, move your operated leg forward.
- 3. Push down with your hands to support yourself when you step forward with your non-operated leg.
- 4. Do not pivot (turn) on your operated leg. Instead, pick up your feet and turn using lots of small steps.
- 5. Land on your heel and push off with your toes.

Getting in and out of the car...

- Have a friend or family member move the seat back as far as it will go.
- Recline the seat to give your hip a large angle.
- Roll the car window down so that you can hold onto the car door when sitting.
- Turn your back to the car and sit down on the seat.
- Use a slippery surface such as a plastic garbage bag on the seat to help you slide more easily.
- Slowly slide back on the seat while keeping your operated leg straight. Do not lean forward past 90 degrees.
- You may use a heel loop to assist your operated leg getting into or out of the car as needed.
- Turn your body as you bring your legs back into the car, continuing to lean back.
- Bring one leg into the car at a time. Do not twist at your hips.
- Reverse these instructions to get out of the car.









Using Stairs

Going up stairs...



1. Use a handrail if available to climb stairs with a crutch or cane in the other hand.



2. Lead with your nonoperated leg, then your operated leg.



3. Finally, bring up your crutch or cane.

Going down stairs...



1. Use a handrail if available to go down stairs with a crutch or cane in the other hand.



2. Lead with your crutch or cane, then your operated leg.



3. Finally, bring your non-operated leg down.





Washing and Bathing...

- 1. You can try taking a sponge bath at your sink until you feel comfortable standing on a slippery surface.
- 2. If you have a walk-in shower, you can use a shower chair/stool to rest as an option. A grab bar may also help you to keep your balance as you get in and out.
- 3. Shower while sitting on a tub transfer bench.
- 4. You can use a long-handled sponge to wash your legs and feet if reaching down is difficult, or a caregiver can help with this.

Using the Toilet...

You may need to use a raised toilet seat or commode chair in the hospital and at home if your toilet is too low. Remember hips higher than knee

You might also need arms around the toilet to help you sit down and get back up. These can be grab bars on the wall, arms attached to the raised toilet seat, or a separate device often called a versa frame.

Dressing Yourself...

Equipment such as elastic shoelaces, sock aid, long handled shoe horn, dressing stick, and long handled reachers will all help you to get dressed without bending over too far at the waist.

Choose clothing that fits loosely (for example a jogging suit) and lightweight, supportive shoes with a non-slip sole that you can easily slide on without bending over. Tight clothes, such as jeans, are not recomended.

When you're getting dressed:

- Sit on the edge of your bed or in a high, firm chair with a straight back and arms.
- Have your clothes, shoes and equipment near you.
- Always use your reacher to get items off the floor.
- Dress your operated leg *first* and undress it last.
- Don't bring your foot up because it will cause you to bend your hip at more than 90 degrees.

The above dressing tips and aids are designed to help you be independent while still maintaining your hip precautions, thus reducing the risk of dislocation after your hip surgery.









Exercises!

Here are some strengthening exercises you can do before and after your hip surgery:

- 1. Ankle Pumps
 - Pump each of your ankles up and down
 - Complete **10 repetitions every hour**.
- 2. Quad Strengthening
 - With your legs straight, tighten your thighs and push your knee down into the bed.
 Hold for 5 seconds then relax.
 - Complete **10 repetitions, three times a day**.







 Squeeze your buttocks as tightly as possible and hold for 5 seconds then relax.
 Complete 10 repetitions, three times a day.

4. Bed-Supported Knee Flexion

- Bend your hip and knee by sliding your heel along the bed towards your buttocks.
 Then slowly slide your leg back down.
- There is no end point to how far you can try bending.
- Complete 10 repetitions, three times a day.

5. Quad Strengthening Over Roll

- Place a firm support (firm rolled towel) under knee
- Lift your heel off on the roll (back of knee stays in contact with firm support).
- Complete 10 repetitions, three times a day.

6. Hip Strengthening (Lying Leg Slides)

Wait TWO WEEKS after surgery before starting this exercise

- Keep your knees and toes pointed toward the ceiling.
- Move your leg out to the side as far as possible. Slowly return to the starting position and relax.
- Do not move your leg over the middle of your body.
- Repeat 5 to 10 times, three times a day









Exercise Diary

Typically recommend exercises completed 3-4x/day Consider monitoring your daily exercise with a list or diary like this one!

Exercises	Day 1	Day 2	Day 3	Day 4	Day 5	Day 6	Day 7
Example: Ankle and foot	8 AM 12 PM 8 PM						
Ankle Pumps							
Quad Strength (tighten thighs)							
Glute Strength (tighten buttocks)							
Knee Flexion (heel slides)							
Quad strength over roll (supported knee, heel lift)							
Hip Strengthening (Lying Leg Slides) *2 Weeks Post-op*							
Walking							




Managing Pain After Surgery

Managing Pain

- Pain is expected after surgery, so plan to take pain medication and tell your nurse if you have pain
- It will be important for you to describe your pain on a scale of 0-10, 0 = "no pain" and 10 = "the worst pain possible". See the Pain Assessment Scale as a guide.
- Take your pain medication before certain activities and as needed to avoid uncontrolled pain.

Controlling your pain is important for you to be able to get up out of bed and do your therapy. Being active early after surgery will prevent scar tissue from forming and reduce the risk of other issues.



You may have pain or discomfort for several weeks after your surgery. These tips will help you manage your pain well and avoid long-term discomfort:

Pain Medications

Acetaminophen (Tylenol[™]) will help to relieve mild pain. Your prescribed pain medicine from your surgeon is for moderate to severe pain. As your pain decreases, you should take less of your prescription pain medicine, gradually switching to Acetaminophen. It is rare to become addicted to your prescribed pain medicine if you use it in this way. Using ice is another type of pain reliever.

Plan to take pain medication **BEFORE** certain activities, such as:

- Leg exercises
- Therapy sessions
- Getting up to walk or into a chair; and/or
- Going for an x-ray.

Pain Medication Side Effects:

Pain medications may make you drowsy which can increase your risk of falling. Pain medication can also cause constipation and/or upset stomach. To help with this:

- Eat more fiber and drink lots of fluids
- Ensure you are taking stool softeners/laxatives routinely after your surgery, especially if taking the narcotic/opioid medication.
- Be more active
- Take pain medication with food
- Ask your family doctor about medications to relieve upset stomach



Managing Risks After Surgery

1. Infection After Surgery

- Hand washing is the best way to prevent the spread of infection. Wash your hands often and thoroughly! With any surgery, infection is possible, a hip replacement increases your chance of infection at new joint. While in hospital, we'll give you antibiotic drugs to kill harmful bacteria.
- We will also monitor you for signs of an infection; rise in temperature, redness, drainage or swelling at the incision, cough, pain when you're breathing, or cough with sputum. From now on, you will always need to let your doctors and dentists know that you have a new hip.

2. Blood Clots

- Your risk of developing a blood clot increases after surgery for at least two months. All patients who have a hip replacement are given medicine called 'anti-coagulants'. This will make your blood thinner and less likely to clot.
- It's important to **do ankle pumping exercises** and get up to **move as much as you can after** surgery to prevent blood clots. Legs are the most common spot for blood clots.
- If you have redness, swelling, warmth or pain anywhere in either leg, tell a member of your care team right away.

Contact your Doctor Right Away if you Experience:

- Fever, redness, swelling and/or warmth at your surgical site (signs of infection)
- Lots of bleeding
- Foul smelling drainage from your incision
- A saturated dressing
- Nausea or vomiting that you can't control
- Dizziness
- Sudden increase in pain not related to activity
- Signs of a blood clot (redness, pain, swelling anywhere in either leg)

3. Urinary Problems

- Some patients experience trouble urinating after surgery. It's important to drink lots of fluids to prevent these problems.
- If you cannot urinate, are urinating often, or have burning, let your nurse know.

4. Joint Dislocation

If your hip moves out of place, it will be very painful, and you will not be able to stand. If this
happens you should come to the nearest emergency department immediately.

5. Dizziness or Lightheadedness

- After you are discharged from the hospital, you may still experience periods of lightheadedness or dizziness particularly when changing position from sitting to standing or from lying to sitting.
- This can be managed by transitioning between positions slowly and allowing dizziness to clear.

6. Skin Breakdown or Pressure Sores

• Lying in bed puts pressure on your skin which can lead to sores. If you have burning, redness or pain on your skin, tell your nurse or therapist. The best way to avoid these problems is to change positions often and not lay in bed for long periods of time.



My Pain Diary

	Day 1	Day 2	Day 3	Day 4	Day 5	Day 6	Day 7
Date							
Time							
Example: Pain Intensity 0 to 10	Date: Aug 4, 2020 at 8 AM 5/10	Date: Aug 5, 2020 at 8 AM 5/10	Date: Aug 6, 2020 at 8 AM 4/10	Date: Aug 7, 2020 at 8 AM 4/10	Date: Aug 8, 2020 at 8 AM 3/10	Date: Aug 9, 2020 at 8 AM 3/10	Date: Aug 10, 2020 at 8 AM 3/10
Pain Intensity 0 to 10							
Pain quality (words to describe the pain)							
Satisfaction with pain management							
Side effects							



Pain Medication Schedule - After Surgery

Medicine	Day of Surgery	Day 1 after Surgery	Day 2	Day 3	Day 4	Day 5	Day 6	Day 7
Example: Tylenol 650 mg every 6 hours (maximum of 4000 mg in a day if under 70 years of age, or 3000 mg if 70 years or older)								



Frequently Asked Questions

What are the major risks of this surgery?

Any surgery has some risks. Some possible complications can include blood clots, infection and constipation. There is a chance of some nerve damage or bone fracture during the surgery. For more information, you can speak with your doctor.

How long is the surgery?

The surgery will between 1 and 2 hours. Right after your surgery you will go to the post anesthetic care unit for 1 to 2 hours where we'll keep a close eye on you. After that, you will be moved to a day surgery bed or inpatient bed where you will begin your recovery and therapy.

Will I be awake during the surgery?

You and your anesthesiologist will discuss the pain medications that will work best for you. If you are awake during the surgery, we normally give you medication that will put you into a light, dreamlike state and allow you to feel relaxed.

Will I be in a lot of pain after surgery?

It is normal to have some pain and discomfort after surgery. You will find more information about this on pg. 22

What will my scar be like?

Your scar may have some numbness around it after it heals. This is normal and usually disappears over time.

Will I notice anything different about my hip?

In most cases when healing is complete, the new hip feels completely natural. Try not to take part in any extreme positions and high impact activities. Everyone is different, so be sure to talk to your surgeon if you are concerned about differences after surgery.

Will I need a blood transfusion after surgery?

The need for a transfusion after surgery is becoming less common. If directed by your care team, take your iron supplement as you are instructed - this will reduce the chance that you will need one.

How long will I be confined to bed?

You will get out of bed on the day of your surgery with assistance. Do not get out of bed on your own. You will have a call bell that you can use to request help. Your therapist will work with you to learn healthy hip movements and the amount of weight you can put on your leg. Your level of movement will increase each day under the guidance of your therapist.

What equipment will I need?

Your therapist will help you make a list of the equipment you will need. Page 9-13 has a list of equipment people who are recovering from a hip replacement commonly need.

Will I need physiotherapy when I go home?

Yes, you will. As mentioned before, you will need to pick an outpatient clinic supported through the Bundled Care program and set up your initial visit. It is important that you perform the exercises shown in hospital, on a daily basis, until your first visit to your outpatient physiotherapist.

After I leave the hospital when will I see my surgeon again?

Before you leave you will be given two follow up appointment dates for two and six weeks after your surgery (see page 3 for a list of your appointments).



It is important to know that the hospital's fracture clinic is very busy. We do our best to see our patients at the time their appointments are booked but often, there is a wait up to one or two hours. It's a good idea to bring a book or activity with you and limit family members to one because there is limited waiting space.

When can I drive again?

Your surgeon will let you know when it is safe to drive again. There are a few things we have to look at; which hip you had surgery on, whether you are driving a car with an automatic or standard transmission. You should not drive while you are taking prescription pain medication.

When can I go back to work?

Your surgeon will tell you when you can return to work. People who have had a hip replacement may need to take anywhere from six weeks to 3 months away from work. The length of time you are away depends on the type of work you do and how physical your job is. If your work requires a doctor's letter or surgeon's written update, please bring such documents to either your 2 week fracture clinic follow up appointment or contact your surgeon's office/secretary to enquire about how to proceed.

When can I resume having sexual activity?

You will need some time to regain your strength and to gain confidence in your new hip. Incisions, muscles and ligaments are usually healed well enough in four to six weeks. Most people feel able to engage in sexual activity, both mentally and physically by this time but talk to your surgeon if you have any questions.

Will my medications affect my ability to engage in sexual activity?

Some medications can impact performance and/or enjoyment during sexual activity. Some of the common side effects of pain relievers and cortisone medications are a lowered interest in sex, vaginal dryness, abnormal erections and delayed orgasms.

If you are experiencing any of these side effects, try having sex in the morning before your first dose or in the evening before your last dose. Do not adjust or stop taking your prescribed medicine without talking to your surgeon first.

Are there any activities I shouldn't do?

It's important to keep your new joint moving but return to your normal activities slowly. Start out slowly and work your way up. We will tell you to avoid certain positions of the joint so that you don't put stress on it and you should limit participation in high impact activities such as long distance running, tennis, downhill skiing. If you have any questions, talk with your surgeon.

Will my new hip joint set off the metal detector at the airport?

It depends on the type of metal detector but it's likely. Let staff at the airport know that you have a metal implant, and where it is in your body. They may screen you with a metal detecting wand.

Your questions and notes:

Please read this booklet carefully before your first appointment. You can write down any questions or concerns you may have on this page.

Appendix A: Local Bundled Care Physiotherapy Clinics

Book your first physiotherapy appointment ASAP, prior to your surgery, so you ensure you have timely access to therapy.

- 1. When you call, inform the clinic of your date of surgery.
- 2. Schedule an appointment for within 10-14 days after your surgical date.
- 3. You will need to arrange your own transportation to and from the clinic of your choice.

	Publically Fund	ded Communi	ity Physioth	erapy Clinics
Fraamart		17: tala ana an		(D) E40 740 4000 aut

Freeport Total Joint Physiotherapy Clinic	3570 King Street East	Kitchener	N2A 2W1	(P) 519-749-4300 ext. 8340
The Physiotherapy Centre	386 Gage Avenue	Kitchener	N2M 5C9	(P) (519) 742-5482
Achieva Health	247 Franklin Street North	Kitchener	N2A 1Y5	(P) 519-896-0805 swc@achievahealth.ca
CBI Health	421 Greenbrook Drive, Unit 1	Kitchener	N2M 4K1	(P) 519-584-2609 greenbrook@cbihealth.ca
Grand River Physiotherapy	1-39 Grand Avenue North	Cambridge	N1S 2K7	(P) 519-621-3035 grandriverphysio@yahoo.com
Physiotherapy Alliance	10 Waterloo Street	New Hamburg	N3A 1V5	(P) 519-662-4676 physiotherapyalliance@rogers.com
South City Physiotherapy	620 Scottsdale Drive	Guelph	N1G 3M2	(P) 519-763-2885 francine@southcityphysio.com
Stone Road Physiotherapy	212-435 Stone Road West	Guelph	N1G 2X6	(P) 519-822-2435 physio@omh-inc.com
Listowel Physiotherapy & Health Care Centre	218 Main Street W.	Listowel	N4W 1A1	(P) 519-913-2727 info@listowelphysiotherapy.com
Revive Physiotherapy and Wellness	106B-353 St Paul Ave	Brantford	N3R 4N3	(P) 519-304-2311
Woolwich Physiotherapy	8-25 Industrial Drive	Elmira	N3B 3K3	(P) 519-669-2578
Impact Physiotherapy	110 Charles Street East	Arthur	N0G 1A0	(P) 519-843-3961

Pub	Publically Funded Hospital-Based Physiotherapy Clinics					
Groves Memorial Community Hospital	235 Union Street East	Fergus	N1M 1W3	(P) 519-843-2010		
North Wellington Health Centre- Palmerston and District Hospital	500 Whites Road	Palmerston	N0G 5H8	(P) 519-343-2030		
St Joseph's Health Centre Guelph	100 Westmount Rd	Guelph	N1H 5H8	(P) 519-824-6000 ext. 3414		



Appendix B: Seamless MD

Grand River Hospital has teamed up with Seamless MD to offer you virtual access to your care team and information about your upcoming procedure. You will be asked to provide a preferred email to access this incredible resource!

Seamless MD

GRAND KIVER HOSPITAL

For Patients and Family: How to get started with SeamlessMD



SeamlessMD is available on your smartphone, tablet, and/or computer.



What is SeamlessMD?

SeamlessMD is an interactive, step-by-step guide to help you prepare for your procedure and recover faster afterwards. You and/or a caregiver can access the platform on any smartphone, tablet and/or computer.

SeamlessMD can send you messages and reminders from your doctor through:









Text Message (SMS)

Email

Push Notifications

Caregiver Support

*Note: SeamlessMD is not monitored 24/7 by your healthcare team. if you have a serious concern, please contact your healthcare team/surgeon's office.

If you have any technical questions, please email: support@seamless.md or call: 855-605-1483.



Seamless MD

SeamlessMD will guide you through two (2) stages of your procedure:

1. Before Your Procedure:

- Messages to help you manage your procedure preparation
- To-do lists to help you prepare for procedure
- Access to a self-care library with information on different topics

2. At-Home Recovery:

- Messages about what to expect with your recovery
- To-do lists to help you heal well at home
- Daily Health Checks to make sure you are recovering well at home, and to give you feedback on your recovery

How do I sign up for SeamlessMD?

To sign up, you need to:

- 1. Have your healthcare team enroll you onto the program.
- 2. Ensure your device is connected to Wi-Fi.
- 3. Check your email for a message "Welcome to SeamlessMD".
- 4. Open the email and click on the blue button "Click here to start".
- 5. Click on the green button "Let's Start".

SeamlessMD is available for you and/or your caregiver on your computer, smartphone, and/or tablet. For mobile use, download the "SeamlessMD" app from the Google Play Store or Apple App Store.

Remember to log in to SeamlessMD when you go home!

Appendix C: Additional Web and Video Links

Web-links that you may find **useful to review** prior to having your *hip* surgery!

What are my Hip precautions?	https://www.youtube.com/watch?v=i3X5HQhoq60
How do I get in and out of bed after my hip surgery?	https://www.youtube.com/watch?v=zQRSxTIHTjY
How do I use a cane or walker after my hip surgery?	https://www.youtube.com/watch?v=OeZrVkVDtbk https://www.youtube.com/watch?v=A1ZUZT6yl3g
How do I get on and off my toilet after surgery?	https://www.youtube.com/watch?v=DdRTb6bKLiM
I'm worried I won't be able to reach myself to wipe or shave my legs after surgery. What can I do?	https://www.youtube.com/watch?v=zmbKgeccHjM https://www.youtube.com/watch?v=qs9MgLlh2Hs
How do I get Dressed after my hip surgery?	https://www.hamiltonhealth.com/services/orthopedics/joint- moves-video-library/post-surgery-hip-precautions/
How do I get in and out of a bathtub after my surgery?	https://www.youtube.com/watch?v=GyLrDYMWV0I
How do I manage stairs after my hip surgery?	https://www.youtube.com/watch?v=YcGJKE2HbLA
How do I get up or down a curb using my walker after surgery?	https://www.youtube.com/watch?v= gb9J5Q NW8
How do I get in or out of a car after my surgery?	https://www.youtube.com/watch?v=Kcc6tIE9dgA
If I can't cook for myself after surgery, I could explore: Meals on Wheels , Heart to Home Meals as alternatives.	www.mealsonwheels.ca www.hearttohomemeals.ca
I don't think I can get to my appointments. How do I get considered for Mobility Plus through Grand River Transit?	https://forms.grt.ca/GRT-MobilityPLUS-Application https://www.grt.ca/en/rider-information/forms.aspx#
What if I need help with bigger tasks/things and I have no family to assist me. What local (Tri-City) assistance options do I have?	www.wwhealthline.ca (under the tab 'Home Health and Community Supports', you will find a wide range of private paid services from foot care to shopping/grocery assistance to in home Hairdressing.
Here is a great website that details your journey from before to after surgery	https://precare.ca/ortho/

** Please note that all the above web-links were active at the time this information sheet was generated (December 2020)

